

ICEBERG

Undersink Water Chiller




Crystal Mountain

ICEBERG

Undersink Water Chiller

The Iceberg is our robust undersink water chiller, supplying cold water on demand from a decorative tap. This compressor driven unit is extremely quiet and easily fits inside your base cupboard, protected from mains water pressure surges with a shock arrestor and pressure reducing valve.

Created especially to accommodate small spaces conventional dispensers are too large for. Measuring only 12" x16.5" x12", the Iceberg's compact design will easily fit under most sinks. An impressive output capacity of 3 gallons per hour, the compressor driven chiller provides exceptional cooling performance. Simply connect the Iceberg to a countertop mounted faucet for cold water on demand.



Features

- #304 Stainless Steel cold water reservoir
- Copper evaporator
- Adjustable cold water thermostat
- Powder coated cold rolled steel casing
- * Sink mounted faucet not included
- Pressure Reducing Valve and Shock Arrestor protect from water mains pressure surges

ICEBERG

Undersink Water Chiller

Performance and Specifications

General

Undersink pressure tank water cooler, with a stainless steel cold tank

Performance

Cold water outlet temperature 4-10°C (39.2-50°F)

Units designed for and tested in extreme temperatures for robust performance in all climates

Power Consumption

0.2 kw.hr/24hr

Cooler Cabinet

Powder-coated painted 18SWG cold rolled steel

Compressor

Hermetically sealed, PTC starter with overload protector
Refrigerant charge: 35.0g (1.2 oz) R134a (Ozone friendly)
(220~240VAC 50Hz) (100~115VAC 60Hz)

Dimensions and Freight Data

Product Dimensions

300mm deep x 410mm wide x 300mm high
(12" deep x 16.5" wide x 12" high)

Product Weight: 12.5kg (27.6 lb)

Product Boxed Dimension

330mm deep x 430mm wide x 340mm high
(13" deep x 16.9" wide x 13.5" high)

Product Boxed Weight: 13.6kg (30.1 lb)

20FT Container Quantity: 637 Units

40FT Container Quantity: 1323 Units



All performances are tested in a controlled environment, certified by a third party. To learn more about these standards, please speak to your Crystal Mountain representative.



ICEBERG



Website: www.crystalcoolers.com

Crystal Mountain Products Limited

North American Sales Office

11925 -145th Street
Edmonton, Alberta
Canada T5L 2H4
Tel: 1 800 878 6422
Tel: 1 780 454 4545
Fax: 1 780 454 9816
E-mail: sales@crystalcoolers.com

European Sales Office

Fence House, Fence Avenue
Macclesfield, Cheshire
United Kingdom SK10 1LT
Tel: +44(0) 1625 439 111
Fax: +44 (0) 1625 502 527
E-mail: cmeurope@crystalcoolers.com

Crystal Mountain Products Inc.

US Office / Warehouse

915 Taylor Rd, Unit 3
Gahanna OH 43230
Tel: (614) 454 1618
Fax: (614) 409 9782
E-mail: sales@crystalcoolers.com

Crystal Mountain International Limited

Hong Kong Sales Office

Room 610, Winfield Commercial Building
6-8a Prat Avenue, Tsimshatsui
Kowloon, Hong Kong
Tel: (852) 2368 1989
Fax: (852) 3017 6727
E-mail: cmasia@crystalcoolers.com

CE cUL US LISTED CB CCC SASO ISO9001 WEEE RoHS

Crystal Mountain has a policy of continuous development and reserves the right to change specifications without notification.

GLB REV0315